

NEW



DP 6000

**BEST
PRACTICE**

FORMULA 1 / INDY

Special development: increased performance, improved ergonomics.

- MORE POWER / MORE GAP
- 90° ERGONOMICS HANDLE
- STANDARD CARBON COVER
- AVAILABLE WITH A BUILT-IN OILER IN THE HANDLE
- ERGONOMIC TRIGGER MADE OF STAINLESS STEEL
- METALLIC POWDER PAINTED BODY
- LH, RH AND UH GUNS ARE DIVERSIFIED USING DIFFERENT COLOURED MUSHROOMS AND COVER RINGS.
- TITANIUM MOTOR
- NEW CARBON PEEK VANES
- BODY MADE OF MAGNESIUM ALLOY



DP 6000 LH
*The fast left hand version (blue)
loosens nuts tightened clockwise faster.*



DP 6000 RH
*The fast right hand version (red)
loosens nuts tightened anticlockwise faster.*



DP 6000 UH
*The special unhandled version (black) loosens
at same speed both the nuts tightened clockwise
and anticlockwise.*

Product name	DP 6000
Front Cover Type	CARBON COVER
Product code LH Version	006000.00004
Product code RH Version	006000.00005
Product code UH Version	006000.00006
Square drive	1"
Weight	3,50 kg (7.7 lbs)
Length	198 mm (7.79")
Air inlet	3/8" BSP
Supply hose inside diameter	13 mm (0.51")
Max pressure	25 bar (362 psi)
Free Speed (25 bar / 362 psi)	LH 14700 RH 14700 UH 14300
Max torque	LH 4200 Nm (3100 ft-lbs) RH 4200 Nm (3100 ft-lbs) UH 4000 Nm (2950 ft-lbs)
Gun selector plate	3 port (Read the FAQ at page 127)

ALSO AVAILABLE

Product name	DP 6000
Front Cover Type	AEROSPACE 7075 ALUMINIUM
Product code LH Version	006000.00001
Product code RH Version	006000.00002
Product code UH Version	006000.00003
Weight	3,54 kg (7.8 lbs)

To get the best performance from our wheel guns, we suggest you to use couplings with minimal bore of 10 mm (25/64 inch) and crimped with male 1/2" BSP fittings.

Find answers to frequently asked questions about the Paoli Products at page 124.



WEIGHT 3,50 kg (7.7 lbs)
MAX TORQUE 4200 Nm (3100 ft-lbs)
AIR INLET 3/8" BSP

O **OPTIONALS & ACCESSORIES** **56**
Suggested optionals and accessories from page

F **FAQ** **124**
Frequently asked questions and answers from page



DP 5000 TI MARK II

**BEST
PRACTICE**

FORMULA 1 / INDY

Special development: increased performance.

- STANDARD CARBON COVER
- ERGONOMIC TRIGGER MADE BY STAINLESS
- TSA READY
- ANODIZED COVERS BLUE AND RED, ACCORDING TO THE MOTORSPORT TRADITION
- TITANIUM MOTOR
- NEW CARBON PEEK VANES
- MAGNESIUM ALLOY BODY



DP 5000 TI MARK II LH
*The fast left hand version (blue)
loosens nuts tightened clockwise faster.*



DP 5000 TI MARK II RH
*The fast right hand version (red)
loosens nuts tightened anticlockwise faster.*



DP 5000 TI MARK II UH
*The special unhandled version (black) loosens
at same speed both the nuts tightened clockwise
and anticlockwise.*

Product name	DP 5000 TI MARK II
Front Cover Type	CARBON COVER
Product code LH Version	5000TI.00004
Product code RH Version	5000TI.00005
Product code UH Version	5000TI.00006
Square drive	1"
Weight	3,43 kg (7.5 lbs)
Length	198 mm (7.79")
Air inlet	3/8" BSP
Supply hose inside diameter	13 mm (0.51")
Max pressure	25 bar (362 psi)
Free Speed (25 bar / 362 psi)	LH 14500 RH 14500 UH 14000
Max torque	LH 3800 Nm (2810 ft-lbs) RH 3800 Nm (2810 ft-lbs) UH 3500 Nm (2590 ft-lbs)
Gun selector plate	3 port (Read the FAQ at page 127)

ALSO AVAILABLE

Product name	DP 5000 TI MARK II
Front Cover Type	AEROSPACE 7075 ALUMINIUM
Product code LH Version	5000TI.00001
Product code RH Version	5000TI.00002
Product code UH Version	5000TI.00003
Weight	3,50 kg (7.7 lbs)

To get the best performance from our wheel guns, we suggest you to use couplings with minimal bore of 10 mm (25/64 inch) and crimped with male 1/2" BSP fittings.

Find answers to frequently asked questions about the Paoli Products at page 124.



WEIGHT 3,43 kg (7.5 lbs)
MAX TORQUE 3800 Nm (2810 ft-lbs)
AIR INLET 3/8" BSP

O **OPTIONALS & ACCESSORIES** **56**
Suggested optionals and accessories from page

F **FAQ** **124**
Frequently asked questions and answers from page